

# Data Manipulation



**RECODING AND SUCH**

# Recoding Variables



Data > Recode Variables

SPSS Set Variable Codings

Variable Information

Gender.MF. → Gender.MF.

percentiles

|      |   |
|------|---|
| 0%   | 1 |
| 10%  | 1 |
| 20%  | 1 |
| 30%  | 1 |
| 40%  | 1 |
| 50%  | 1 |
| 60%  | 1 |
| 70%  | 1 |
| 80%  | 2 |
| 90%  | 2 |
| 100% | 2 |

Code

Value = 2

into Female Add

≤ Value ≤

into Add

Else: Add

Recodings


1 -> 'Male'

Clear OK Cancel



| wave | X        | genderRecoded |
|------|----------|---------------|
| 0    | 40.36416 | Male          |
| 0    | 40.32843 | Male          |
| 0    | 40.03221 | Female        |
| 0    | 40.40858 | Female        |
| 0    | 40.02912 | Male          |
| 0    | 40.44131 | Male          |
| 0    | 40.45238 | Male          |
| 0    | 40.38466 | Male          |
| 1    | 39.81264 | Female        |
| 2    | 39.85258 | Male          |
| 1    | 38.37012 | Male          |
| 1    | 38.88572 | Male          |
| 1    | 39.25309 | Female        |
| 1    | 39.79094 | Female        |
| 3    | 38.70519 | Female        |
| 4    | 39.58062 | Female        |


# Transforming Variables



# Transforming Variables




Data > Transform



# Transforming Variables



Before



After

